

TB-FMCH-OPT10

Page 01 : INDEX
Page 02 : QSFP&SFP
Page 03 : FMCH


Revision Notes

Date	Revision	Content	Page
2013.03.27	REV 0.10	Draft	ALL
2013.04.07	REV 0.11	Modify GND to DGND, Add FGND for CN1C,SOCKET2,SOCKET3	P2
	REV 0.12	Modify R2's connection, Add Silk for MMCX, OSC	P2, P3
2013.04.09	REV 0.13	Add C57-C64;	P3
2013.04.10	REV 0.14	Swaped DP_C2M_P/N6 and DP_C2M_P/N7; Swaped DP_M2C_P/N6 and DP_C2M_P/N7; Deleted R6 & R17; Added R47/R48;	P2
2013.04.11	REV 0.15	Added I2C circuit on FMC; Added R49/R52;	P3
2013.04.19	REV 0.16	Modify CN1,Q1,R42	


Comment :xxx_NMT is no mount.

Title		
INDEX		
Size	Document Number	Rev
A2	TB-FMCH-OPT10	0.16
Date:	Friday, April 19, 2013	Sheet 1 of 3


QSFP&SFP



TXP/TXN, RXP/RXN should be pair routed, shortest routed, Zdiff = 100ohm




TXP/TXN, RXP/RXN should be pair routed, shortest routed, Zdiff = 100ohm



[3] SFP0_MOD_ABS_FP

[3] SFP1_MOD_ABS_FP



[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_MOD_ABS

[3] SFP0_SCL

[3] SFP0_SDA

[3] SFP0_RX_LOS

[3] SFP0_RX_LOS_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

[3] SFP0_TX_FAULT

[3] SFP0_TX_DISABLE

Title		
QSFP&SFP		
Size	Document Number	Rev
A2	TB-FPCV-OPT10	0.15
Date:	Friday, April 19, 2013	Sheet 2 of 3

